

EPIC is a great alternative to wood-free paper, providing excellent whiteness, high opacity, and an outstanding image reproduction. It's the perfect choice for magazines and direct mail.

Holmen EPIC

Technical data sheet

Holmen EPIC

Grammage g/m ²	Whiteness % CIE (W)	Brightness % D65/10°	Bulk cm ³ /g ±0.05	a* D65/10°	b* D65/10°	Opacity %
52	100	85	1.5	+0.4	-4.7	90
55	100	85	1.5	+0.4	-4.7	91
60	100	85	1.5	+0.4	-4.7	93
65*	100	85	1.4	+0.4	-4.7	94
70*	100	85	1.4	+0.4	-4.7	95

Printing methods: Heatsset, Coldset and Digital Inkjet.

Updated 2024-03-07

* Available depending on trim.

Environmental certificates: ISO 14001, FSC® C020071, PEFC/05-33-134 and EU Ecolabel.

Environmental statements: Reach.

Printing recommendations

Heatset

Print order	KCMY
Ink	MF or SC ink
Characteristic data	FOGRA 47, FOGRA 41
ICC-profile	PSO-Uncoated-ISO12647-eci.icc PSO-MFC-Paper-eci.icc
Screen ruling	133-150 lpi

Coldset

Print order	CMYK
Ink	Coldset
Characteristic data	FOGRA 47, FOGRA 41
ICC-profile	PSO-Uncoated-ISO12647-eci.icc PSO-MFC-Paper-eci.icc
Screen ruling	133-150 lpi
Max tone value	260%

Digital Inkjet

Characteristic data	FOGRA 39
ICC-profile	ISO-coated-v2-eci.icc
Screen ruling	150 lpi
Max tone value	270%

Recommended paper type and dot gain curve in line with ISO 12647-2 2013

Paper type	7
Dot gain curve	C

L* a* b* guideline values

ISO 13655 D50 2° M1

Measuring instrument

Techkon SpectroDens LED Premium

L* a* b* target values D50

	L*	a*	b*	Fluorescence
Paper type 7 white Background	89+/-3	0+/-2	3+/-2	
Holmen EPIC	90.5	2.6	-6	Medium

HOLMEN